

Type	Control	MIN	MAX	MAX	m ² MAX
PR1600, PR1602, PR1610, PR1612, PR1615 (profile No. 1)*	Handle	0,20	1,20	2,20	2,60
PR1600, PR1602, PR1610, PR1612, PR1615 (profile No. 2)*	Handle	1,201	1,50	1,60	2,60
PR1620*	Handle	0,20	1,20	2,20	2,60
PR1620*	Handle	1,201	1,50	1,60	2,60
PR1622, PR1626*	Handle	0,200	1,20	2,20	2,40
iiPR1622, PR1626*	Handle	1,201	1,50	1,60	2,40
PR1500	Spring	0,45	1,20/1,50***	2,00	2,40
PR1700, PR1710, PR1720	Cord	0,30	2,20	2,60	5,70
PR1800	Chain	0,40	2,20	2,60	5,70
PR1900	Electric drive	0,70	2,20	2,60	5,70
PR2600, PR2602, PR2612, PR2615, PR2626****	Handle	0,20	1,50	1,50	2,25
PR3600**	Handle	0,30	1,50	4,00	6,00
PR3900, PR3902**	Electric drive	0,40	1,50	4,00	6,00

*Maximum inclination angle - 15°

**Maximum inclination angle - 45-90°

***When blind height is 2,00 m, maximum width is 1,20 m. When blind height is 1,50 m, maximum width is 1,50 m.

****Maximum inclination angle - 60°. Standard fabrics: window glazing depth must be not less than 25 mm (between glass and fabric has to be at least 3 mm space for ventilation). Black Out fabrics: window glazing depth must be not less than 27 mm (between glass and fabric has to be at least 5 mm space for ventilation)

Possible colours of mechanisms



White/02




Silver/04

PR1500



PR1600




PR1602




PR1610



PR1612



PR1615



PR1620




PR1622




PR1626



PR1700



PR1710



PR1720



PR1800



PR1900




PR3600



PR3900



PR3902



PR2600 (for skylights)



PR2602 (for skylights)



PR2612 (for skylights)



PR2615 (for skylights)



PR2626 (for skylights)



Komponenter*

	Index	Name		PR1500	PR1600	PR1602	PR1610	PR1612	PR1615	PR1620	PR1622	PR1626	PR1700	PR1710	PR1720	PR1800	PR1900	PR2600	PR2602	PR2612	PR2615	PR2626	PR3600	PR3900	PR3902
	PLB-TL	Mounting clip, metal																							
	PLB-TL-02	Mounting clip, white			+	+	+	+		+	+	+	+	+	+			+	+	+		+			
	PLB-TLPV-00	Mounting clip, natural																							
	PLB-TLPV-02	Mounting clip, white																						+	+
	PLB-TLS-00	Mounting clip, natural																							
	PLB-TLS-02	Mounting clip, white																					+	+	+
	PLB-TL-27-00	Mounting clip, natural																							
	PLB-TL-27-02	Mounting clip, white		+												+	+								

*Components are included into the standard price of pleated blinds. Prices are given when ordering separately.

	Index	Name		PR1500	PR1600	PR1602	PR1610	PR1612	PR1615	PR1620	PR1622	PR1626	PR1700	PR1710	PR1720	PR1800	PR1900	PR2600	PR2602	PR2612	PR2615	PR2626	PR3600	PR3900	PR3902
	PLB-AL-02	Cover cord support, white																							
	PLB-AL-03S	Cover cord support, silver			+		+		+	+								+			+				
	PLB-VLT-02	Bearing for cord support, white																							
	PLB-VLT-03S	Bearing for cord support, silver			+		+		+	+								+			+				
	PLB-R-02	Handle, white																							
	PLB-R-03S	Handle, silver			+	+	+	+	+	+	+	+						+	+	+	+	+	+		
	RBC-GRL-SAUG-00	"Child safety", transparent														+									
	PLB-SAUG-W-00	Cord cleat "Child safety"											+	+	+										
	PLB-SAUG-02	Tassel, "Child safety"											+	+	+										

0

DL

Prisgrupper Plisséstof

Fabric	Thickness, mm	Width, cm	Price group	Fabric	Thickness, mm	Width, cm	Price group
AMAZONE	0,180	225	DL III	MONTREAL BO	0,150	300	DL VI
AWANGARDA	0,190	200	DL III	NAKATO	0,210	225-235	DL IV
BASEL	0,160	225	DL I	NEO	0,120	230	DL III
BELEM	0,380	235	DL V	NEVADA	0,350	225	DL V
BRUSSELS	0,430	225	DL V	OP	0,150	200	DL III
CALIFORNIA	0,200	230	DL IV	ORDOS	0,300	230-235	DL IV

COCO	0,390	230	DL IV	OSLO	0,380	215-220	DL II
DAYO	0,170	230-240	DL V	OSLO PERLA	0,400	220	DL III
DOTS	0,220	200	DL III	PALMA	0,130	300	DL III
FEMI (C)	0,170	200	DL I	PALMA BO*	0,120	300	DL IV
FIGURE	0,240-0,280	235	DL V	PERU	0,145	235-238	DL II
FUNCKY*	0,340	230	DL V	PLAIN LINE	0,290	190	DL 0
GEO	0,240	235	DL V	POWDER	0,360	225	DL IV
GRAPHITE	0,220	215	DL IV	RANKE	0,240	230	DL IV
HONEY (H)	0,210	200	DL II	RECIFE	0,300	235	DL V
YORK	0,310	225	DL IV	SAMOA	0,150	245	DL III
YUKI	0,210	230	DL VI	SINAI	0,300	225	DL III
JAIPUR (J)	0,220	225	DL III	SINGAPORE	0,240	235	DL VI
JAKARTA	0,300	225	DL IV	SOFIA	0,200	195	DL III
KALA	0,180	240	DL III	STOCKHOLM*	0,310	225	DL IV
KAMARI (P)	0,900	200-240	DL I	STONE	0,230	200	DL IV
KAMARI PEARL (CP)	0,200	195-240	DL III	TECHNO	0,210	170	DL IV
KENT	0,280	225	DL III	TERESINA	0,340	230-235	DL V
LEIPZIG	0,340	225	DL IV	TIRARI	0,320	225	DL IV
MAROCOCO	0,310	225	DL VI	TORRES	0,300	225	DL IV
MESSA	0,250	240	DL I	TOSCA	0,150	240	DL III
MESSA PEARL	0,260	240	DL III	ZURI	0,250	220-240	DL IV
METALIC	0,180	230	DL III	WONDERLAND	0,150	225	DL III
MONTREAL	0,200	300	DL V				


*We can't produce pleated blinds PR1500 with fabrics Stockholm, Palma BO and Funcky.

Parkeringshøjder

Package heights are calculated according to type, fabric thickness and installation height.


Package height (PH) = tablet value (X) + profile height in mm

**PR1600, PR1602, PR1615,
PR1626, PR1700, PR2600,
PR2602, PR2615, PR2626,
PR3600**




PH=X+16+16 (mm)

**PR1500, PR1800, PR1900,
PR3900**




PH=X+16+35 (mm)

PR1610, PR1612, PR2612




PH=X+16+16+10 (mm)

PR1620, PR1622, PR1720




PH=X1+X2+16+16+16 (mm)

PR1710



PH=X+16+16+16 (mm)

PR3902



PH=X+16+16 (mm)

Example:

Type PR1615, blind height 1,50 m, fabric thickness - 0,30 mm

Tablet value X = 27 mm

PH = 27 + 16 +16 = 59 mm*

*approx.dimensions

Height of pleated blind, m	Stof tykkelse, mm								
	0.15	0.20	0.25	0.30	0.35	0.40	0.45	Palma, Montreal	Palma BO, Montreal BO
0,50	5	6	8	9	11	12	14	13	14
1,00	9	12	15	18	21	24	27	26	27
1,50	14	18	23	27	32	36	41	39	41
2,00	18	24	30	36	42	48	54	52	54
2,50	23	30	38	45	53	60	68	65	68
3,00	27	36	45	54	63	72	81	78	81
3,50	32	42	53	63	74	84	95	91	95
4,00	36	48	60	72	84	96	108	104	108